# ARE SHENG

*Stop Valves & Supply Connectors*

as-1040918

Source Book 2015 Are Sheng Industry Co., Ltd.

## Company Introduction

Are Sheng Industry Co., Ltd. has been established since 1992 in Taiwan. We supply various plumbing products and serve our cutsomers with below principles.

- Premium quality
- Prompt and in-time shipment
- Competitive prices & less MOQ
- Reliable and responsible attitude
- Professional suggestion for OEM & ODM products
- Sufficient inventory for popular items
- Provide different packages (blister, color box...) upon your request

# Company Introduction

Are Sheng Industry Co., Ltd. has been established since 1992 in Taiwan. We supply various plumbing products and serve our cutsomers with good quality and competitive prices. Welcome to contact with us for more information.

## INDEX

### Stop Valves & Supply Connectors

Angle & straight valves D62~D64

Brass tube fittings D65~D66

Brass valves & hose bibcock D67~D68

Well accessories D69

Braided tubes & flexible tubes D70~D73

Water hammer arresters D74~D75


### Tubulars

Brass tubulars D76~D77


WATER WARE L.K.
Member of plumbing association in Taiwan.

# Angle & straight valves

**18-001**
C.P. brass angle valve
3/8"x3/8", 1/2"x3/8",
1/2"x1/2"
200pc/22kg/23kg/1.1'

**18-001-BC**
C.P. brass angle valve
B.C. style, 1/2"x3/8"
200pc/23kg/24kg/1.1'

**D62-002**
C.P. brass angle valve
1/2"FIPx1/2" & 7/16" slip-joint
100pc/13kg/14kg/0.5'

**18-005**
C.P. brass angle valve
3/8"x1/2" hose
w/ABS stem or brass stem
200pc/17kg/18kg/0.9'

**18-001-SN**
Brass angle valve
1/2"x3/8"
100pc/11kg/12kg/0.5'
* Other surface treatments. *

**18-006**
C.P. brass angle valve
1/2"SWTx3/8"OD
w/brass stem, C.P. zinc handle
or w/plastic stem, plastic handle
200pc/19kg/20kg/1.1'

**18-007**
C.P. brass angle valve
1/2"IPSx3/8"ODx3/8"OD
200pc/17kg/18kg/1.1'

**18-008**
C.P. brass dual angle valve
1/2"IPSx1/2"ODx1/2"OD
200pc/19kg/20kg/0.9'

**18-009**
C.P. brass angle stop valve
5/8"ODX3/8"ODX3/8"OD COMP
200pc/22kg/23kg/1.1'

**18-010**
C.P. brass angle valve
w/brass stem
1/2" SWT inlet x 3/8" OD COMP
w/ 5" extension & bell Escutcheon
100pc/11kg/12kg/1'



**D62-001AL**
Complete water supply repair set
2pcs angle valves(3/8"x1/2")
2pcs covers and
2pcs water tank tubes(12")
50pc/13kg/14kg/1.3'

*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*


ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw

**18-012-1238**
C.P. brass straight valve
1/2" FIPx3/8" COMP
3/8"IPSx3/8"OD
200pc/22kg/23kg/1.1'

**18-012-1212**
C.P. brass straight valve
1/2"FIPx1/2" & 7/16"slip-joint
200pc/25kg/26kg/1.1'

**18-013**
C.P. brass straight valve
1/2"SWTx3/8"OD COMP
150pc/19kg/20kg/0.7'

**181-006**
C.P. brass
1/4-turn straight ball valve
1/2"SWTx3/8"OD
100pc/13kg/14kg/0.5'

**D63-001**
C.P. brass
1/4-turn straight ball valve
1/2"FIPx3/8"OD COMP
100pc/13kg/14kg/0.5'

**D63-002**
C.P. brass
1/4-turn straight ball valve
1/2"PEX x3/8"OD COMP
100pc/13kg/14kg/0.5'

**D63-003**
C.P. brass
1/4-turn straight ball valve
1/2"FIPx3/8"OD COMP
100pc/13kg/14kg/0.5'

**D63-004**
C.P. brass
1/4-turn straight ball valve
1/2"FIPx3/8"OD COMP
100pc/13kg/14kg/0.5'

**D63-005**
C.P. brass
1/4-turn straight ball valve
cross handle
1/2"SWTx3/8"OD
100pc/13kg/14kg/0.5'

**181-001A**
C.P. brass 1/4-turn ball valve
1/2"FIPx3/8"OD COMP
100pc/13kg/14kg/0.5'

**181-001B**
C.P. brass 1/4-turn angle valve
1/2"FIPx3/8"OD COMP
150pc/20kg/21kg/0.7'

**181-001D**
C.P. brass 1/4-turn ball valve
3/8"FIPx3/8"OD COMP
100pc/11kg/12kg/0.5'

*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw





*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*

**D64-001**
Brass 1/4-turn angle valve
1/2"ODx3/8"OD COMP
100pc/13kg/14kg/0.5'

**D64-002**
Brass 1/4-turn
loose key angle valve
3/8"FIPx3/8"OD COMP
1/2"FIPx3/8"OD COMP
1/2" COMP(5/8"OD)x3/8"OD COMP
1/2"SWEATx3/8"OD COMP
100pc/11kg/12kg/0.5'

**D64-003-14**
Brass
1/4"OD COMPx1/2"PEX angle valve
150pc/19kg/20kg/0.7'

**D64-003-38**
Brass 3/8"OD COMPx1/2"PEX
150pc/19kg/20kg/0.7'

**D64-004**
Brass 1/4-turn angle valve
3/8"ODx1/2"barb PEX
100pc/13kg/14kg/0.5'

**D64-005**
Brass 1/4-turn contemporary
angle valve, ORB
1/2"x3/8", cross handle
50pc/12kg/13kg/0.8'

**D64-006**
Brass 1/4-turn contemporary
angle valve, SN
1/2"x3/8", round handle
50pc/12kg/13kg/0.8'

**D64-007**
Brass 1/4-turn contemporary
angle valve, 1/2"x3/8"
lever handle
50pc/12kg/13kg/0.8'

**D64-008**
Brass 1/4-turn angle valve
1/2"x3/8", SN
50pc/12kg/13kg/0.8'

**D64-009**
Brass 1/4-turn angle valve
1/2"x3/8", SN
cross handle
50pc/12kg/13kg/0.8'

**D64-010CP**
C.P. brass 1/4-turn ball valve
forging lavatory, cross handle
1/2"FIPx3/8"OD COMP
100pc/19kg/20kg/1'

PVD

SN

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw

# Angle & straight valves

*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*

**181-015**
1/4"OD saddle valve
with aluminum clamp
FIT 3/8"-5/8" PIPE
200pc/21kg/22kg/1'

**19-017-14**
1/4" self tapping saddle valve
R.B.
250pc/20kg/21kg/1.1'
**19-017-38**
3/8" : 250pc/21kg/22kg/1'

**19-017B-14**
Saddle valve
1/4"OD COMP
250pc/21kg/22kg/1'



**19-017C-14**
Saddle valve
1/4"OD COMP
250pc/21kg/22kg/1'

**181-017**
Needle angle valve
1/8"MIP x 1/4"OD
300pc/12kg/13kg/0.8'
1/8"MIP x 3/8"OD
300pc/12kg/13kg/0.8'

**D65-001**
Needle straight valve
1/4"OD COMP x 1/4"OD COMP
300pc/12kg/13kg/0.8'
3/8"OD COMP x 3/8"OD COMP
300pc/15kg/16kg/1'

A: Alum. B: Brass

**19-016**
3/4" Hose bibb vacuum breaker
100pc/9k/9.5kg/0.3'

**B35-11**
5/8" All-tube tee w/insert, 143g

**D65-002**
Air valve with key, brass
500pc/9.3kg/10.3kg/0.37'

**D65-003**
Air valve, brass
1000pcs/14kg/15.5kg/0.27'

CP

Angle female adapter
**19-001-3838CP**
3/8"IPSx3/8"OD
500pc/15kg/16kg/0.5'
**19-001-1238CP**
1/2"IPSx3/8"OD
500pc/17kg/18kg/0.5'

CP RB

Straight male adapter
**19-008-3838CP**
3/8"MIPx3/8"OD, C.P.
500pc/21kg/22kg/0.5'
**19-008-1238CP**
1/2"MIPx3/8"OD
500pc/22kg/23kg/0.5'

CP

Straight male connector
**19-009-3838CP**
3/8"COMPx3/8"OD
500pc/16kg/17kg/0.6'
**19-009-5838CP**
5/8"COMPx3/8"OD
500pc/27kg/28kg/0.6'

RB

**19A-020-38RB**
Brass tee
3/8"COMPx3/8"COMPx
3/8"COMP, rough brass
500pc/20kg/21kg/0.5'
**19A-020-58RB**
5/8"COMPx5/8"COMPx
5/8"COMP

CP

**19A-021CP**
Brass straight fitting
1/2"FIPx3/8"OD
500pc/15kg/16kg/0.9'

* We have hundreds of brass parts. For more information, please contact with us. *

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw





# Brass tube fittings

**B36-J01**
Brass POL
assembly, pig tail

Tailpiece
Hex nut

**181-019-3**
Cast elbow



3/4"MIP 1/2"MIP

**B361-15**
Hex head plug

3/4"MIPx1/2"FIP

**B362-07A**
Male pipe to
female pipe bushing

**19A-019**
Female pipe to
copper eblow
1/2"x3/8"FIP, 1/2"x1/2"FIP

A B

A:Long rod nut 1/2"
B:Short rod nut 3/8"
**B34-008**

5/16"FLARE

**B362-06B**
Inverted flare nut

1/4"MIP

**B34-010**
Square head plug

1/4"FIPx1/4"FIP

**B361-14**
Female pipe coupling

1/8"FLARE

**B362-11**
Flare nut

1/4"MIPx3/8"BARB

**B361-01A**
ID hose barb splicer

**B362-01B**
1/2"FIPx3/8"FLARE
flare to female
reducing coupling

3/8"FIPx3/8"BARB

**B361-03B**
Barb to female pipe
adaptor-long type

**B362-03**
1/2" Flare
short forged nut

1/4"MIPx3/8"FIP
1/2"MIPx1/2"FIP

**B362-12**
Female to
male pipe coupling

1"MIPx3/4"MH
1/2"MIPx3/4"MH

**B361-06B**
Hex hose adaptor

1/4"MIPx1/4"COMP

**B361-07**
Tube to male pipe eblow



1/2"
3/8"
1/8"BARB

**B37-06**
Equal tee hose end joint

**B363-08**
Brass tailpiece
1-1/2"

**26A-031**
Male x female extension
C.P. brass
1/2"x10~40mmL

1/2"

**B34-011**
Compression cap
1/4", 3/8", 1/2"

1/2"

**B34-013**
Compression sleeve

3/8" 1/4" 3/16"

**B362-22**
Brass insert

5/8"COMPx5/8"COMP

**B35-08**
All-tube elbow w/inserts

5/8"COMPx5/8"COMP

**B35-09**
All-tube union w/inserts

* All pictures above are only for reference.
More detail product's information, you are always the most welcome to contact us. *

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw

## 27-008-AS
Brass hose bibcock
heavy type

## 27-008-ARB
Red brass color

| size | weight | packing |
|---|---|---|
| 1/2" | 260g | 100pc/26kg/27kg/0.9' |
| 3/4" | 265g | 100pc/26.5kg/27.5kg/0.9' |

## 27-008-LT
Brass hose bibcock
light type

| size | weight | packing |
|---|---|---|
| 1/2" | 135g | 120pc/16kg/17kg/0.7' |
| 3/4" | 150g | 120pc/20kg/21kg/0.7' |

*The weights and handle colors, can be made as your request.*

## 27-013
Brass polished hose bibcock

| size | packing |
|---|---|
| 1/2" | 80pc/17.5kg/18.5kg/1.3' |
| 3/4" | 80pc/24.8kg/25.8kg/1.3' |

## 33-002
Brass swing check valve

| size | IPS | CxC (copper by copper) |
|---|---|---|
| 1/2" | 200pc/31kg/32kg/0.9' | 120pc/21kg/22kg/0.6' |
| 3/4" | 120pc/26kg/27kg/0.8' | 80pc/20kg/21kg/0.7' |
| 1" | 100pc/29kg/30kg/1' | 40pc/15.6kg/16.6kg/0.65' |
| 1-1/4" | 60pc/25kg/26kg/1' | 30pc/18.3kg/19.3kg/0.9' |
| 1-1/2" | 40pc/30kg/31kg/1.1' | 30pc/25.5kg/26.5kg/0.9' |
| 2" | 30pc/30kg/31kg/1.3' | 12pc/17.4kg/18.4kg/0.64' |
| 2-1/2" | 10pc/23kg/24kg/1.1' | |
| 3" | 12pc/32kg/33kg/1.4' | |
| 4" | 6pc/30kg/31kg/1.3' | |

## D67-001
Brass bent nose garden valve
size: 1/2"FIPxMHT or
3/4"FIPxMHT
72pc/24.5kg/25.5kg/1.1'

## D67-002
Brass evaporative cooler valve
outlet size: 3/4"MHT or 3/4"MPT
1/8"FIP side tap
72pc/15kg/16kg/0.6'

## 34-013
Male boiler drain,
w/stuffing nut
in: 1/2", out: 3/4"
100pc/18kg/19kg/1'
in: 3/4", out: 3/4"

## 34-009
Brass stop valve, CxC
1/2" : 100pc/19kg/20kg/0.8'
3/4" : 72pc/23.5kg/24.5kg/1'

## 34-010
Brass stop valve, IPS
1/2" : 100pc/22kg/23kg/0.8'
3/4" : 72pc/25kg/26kg/0.8'

## 34-011
Brass stop valve,
CxC, with waste
1/2" : 100pc/19kg/20kg/0.8'
3/4" : 72pc/23.5kg/24.5kg/1'

## 34-012
Brass stop valve,
IPS, with drain
1/2" : 30pc/18kg/19kg/1.1'
3/4" : 30pc/18kg/19kg/1.1'

## 34-017-58
5/8" brass compression
stop valve
100pc/26kg/27kg/1.2'

## 34-014-CC
Brass sillcock

| | | |
|---|---|---|
| CxC | 1/2" | 100pc/22kg/23kg/1' |
| | 3/4" | 100pc/25kg/26kg/1' |

## 34-014-IPS
Brass sillcock

| | | |
|---|---|---|
| IPS | 1/2" | 24pc/4.5kg/5.5kg/1' |
| | 3/4" | 100pc/24.5kg/25.5kg/1' |

## D67-003
Brass no-kink hose bibb
MHT outlet, oversized handle
size: 1/2"MIP or 3/4"MIP
100pc/15.5kg/16.5kg/0.8'

## D67-004
Brass no-kink hose bibb
oversized handle
siez: 1/2"FIP or 3/4"FIP
100pc/15kg/16kg/0.8'

## D67-005
Water gauge valve
1/2"x1/2", bronze
50pc/22.5kg/23.5kg/1.3'

*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw

## 32-005 Stainless steel foot valve

| Size | stainless steel | brass |
|---|---|---|
| 1/2" | 100pc/14kg/15kg/0.6' | 100pc/14kg/15kg/0.7' |
| 3/4" | 80pc/14kg/15kg/0.7' | 80pc/14kg/15kg/0.7' |
| 1" | 60pc/16kg/17kg/1.0' | 60pc/17kg/18kg/1.0' |
| 1-1/4" | 40pc/16kg/17kg/1.1' | 40pc/17.5kg/18.5kg/0.9' |
| 1-1/2" | 30pc/18kg/19kg/1.2' | 30pc/18kg/19kg/1.1' |
| 2" | 20pc/18kg/19kg/1.4' | 20pc/18.5kg/19.5kg/1.1' |
| 3" | 8pc/23kg/24kg/1.2' | 8pc/26.5kg/27.5kg/1.1' |
| 4" | 4pc/23kg/24kg/1.2' | 4pc/24.5kg/25kg/1.2' |

## 30-012 Brass foot valve

## 32-004 Stainless steel check valve

| Size | stainless steel | brass |
|---|---|---|
| 1/2" | 100pc/16kg/17kg/0.5' | 100pc/18.5kg/19.5kg/0.5' |
| 3/4" | 80pc/17kg/18kg/0.6' | 80pc/20kg/21kg/0.6' |
| 1" | 60pc/20kg/21kg/0.6' | 60pc/21kg/22kg/0.6' |
| 1-1/4" | 40pc/23kg/24kg/0.8' | 40pc/21kg/22kg/0.7' |
| 1-1/2" | 30pc/20kg/21kg/0.7' | 30pc/19kg/20kg/0.6' |
| 2" | 20pc/22kg/23kg/0.9' | 20pc/22kg/23kg/0.9' |
| 3" | 6pc/21kg/22kg/0.8' | 6pc/21.5kg/22.5kg/0.6' |
| 4" | 3pc/24kg/25kg/0.9' | 3pc/22.5kg/23.5kg/0.7' |

## 32-001 Brass check valve

## 34-002
Red ball only
for floating valve, screw in

## 34-001
Brass floating valve
with or without ball

| size | 34-001(without ball) per carton | 34-002(red ball only) per bag | ball OD | insert thread |
|---|---|---|---|---|
| 3/8" | 100pc/16kg/17kg/0.7' | 1000pc/30kg/31kg/15' | 4" | 1/4"-20 |
| 1/2" | 100pc/21kg/22kg/0.7' | 300pc/21kg/22kg/15' | 4-1/2" | 1/4"-20 |
| 3/4" | 100pc/26kg/27kg/0.8' | 200pc/16kg/17kg/15' | 5" | 5/16"-18 |
| 1" | 50pc/21kg/22kg/0.5' | 125pc/16.5kg/17.5kg/15' | 6" | 5/16"-18 |
| 1-1/4" | 20pc/24kg/25kg/1' | 50pc/13.5kg/14.5kg/15' | 8" | 7/16"-14 |
| 1-1/2" | 20pc/25kg/26kg/1' | 30pc/11.5kg/12.5kg/15' | 10" | 7/16"-14 |
| 2" | 12pc/23kg/24kg/1' | 15pc/9kg/10kg/15' | 12" | 1/2"-20 |
| 3" | 5pc/18kg/19kg/1.5' | 10pc/10.5kg/11.5kg/15' | | |
| 4" | 5pc/30kg/31kg/2' | 6pc/7.2kg/8.2kg/15' | | |

## 34-008S
IPS standard port,
brass ball valve

## 34-008F
IPS full port, brass ball valve

## 34-008-CC
CxC, brass ball valve

## 34-008F-LF
IPS full port, lead free,
brass ball valve

| size | packing |
|---|---|
| 1/2" | 100pc/17kg/18kg/0.8' |
| 3/4" | 80pc/18kg/19kg/0.8' |
| 1" | 48pc/18.5kg/19.5kg/0.8' |
| 1-1/4" | 32pc/18kg/19kg/0.8' |
| 1-1/2" | 20pc/18.1kg/19.1kg/0.8' |
| 2" | 12pc/16.6kg/17.6kg/0.8' |
| 2-1/2" | 8pc/17.4kg/18.4kg/0.8' |
| 3" | 4pc/19kg/20kg/0.8' |
| 4" | 3pc/20.6kg/21.6kg/0.8' |

## 34-007
Bronze floating valve,
lead free, brass available

| size | packing |
|---|---|
| 3/8" | 100pc/25kg/26kg/0.8' |
| 1/2" | 100pc/27kg/28kg/0.8' |
| 3/4" | 80pc/28kg/29kg/0.9' |
| 1" | 40pc/22kg/23kg/0.6' |
| 1-1/4" | 20pc/21kg/22kg/0.9' |
| 1-1/2" | 20pc/25kg/26kg/0.9' |
| 2" | 20pc/29kg/30kg/0.9' |

## 34-003
15/16" brass ball cock
50pc/25.4kg/26.4kg/2.4'

## 32A-014
Brass compression coupling

| size | packing |
|---|---|
| 1/2"x3" | 120pc/23kg/24kg/0.6' |
| 1/2"x5" | 120pc/23.4kg/24.4kg/0.7' |
| 3/4"x3" | 120pc/24kg/25kg/0.8' |

Bronze safety relief valve

## 34-018
w/sealing

## 34-019
w/lever

| item | size | packing |
|---|---|---|
| 34-018 | 1/2" | 40pc/19kg/21kg/0.76' |
| | 3/4" | 30pc/21kg/23kg/0.91' |
| | 1" | 20pc/23kg/25kg/0.78' |
| | 1-1/4" | 12pc/24kg/26kg/0.89' |
| | 1-1/2" | 8pc/20kg/22kg/0.81' |
| | 2" | 6pc/24kg/26kg/0.79' |
| 34-019 | 1/2" | 30pc/17kg/19kg/0.91' |
| | 3/4" | 20pc/16kg/18kg/0.78' |
| | 1" | 12pc/15kg/17kg/0.89' |
| | 1-1/4" | 8pc/16kg/18kg/0.81' |
| | 1-1/2" | 6pc/15kg/17kg/0.79' |
| | 2" | 6pc/25kg/27kg/1.17' |

Profile

*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw

# Well accessories

* Different materials for your choice.* BS=brass SS=stainless steel BZ=bronze

## 31-006 Tank tee, 2 holes

31-006-BS Brass

31-006-SS Stainless steel

| Item | Size | Length | Packing |
|---|---|---|---|
| 31-006-BS | 1"x1"x1" | 11" | 24pc/20kg/21kg/1.1' |
| | 1-1/4"x1-1/4"x1-1/4" | 14" | 16pc/21.9kg/22.9kg/1.2' |
| 31-006-SS | 1"x1"x1" | 11" | 24pc/20kg/21kg/1.1' |
| | 1-1/4"x1-1/4"x1-1/4" | 14" | 16pc/21.6kg/22.6kg/1.2' |
| 31-006-BZ | 1"x1"x1" | 11" | 24pc/22kg/23kg/1.1' |
| | 1"x1"x1" | 14" | 20pc/23kg/24kg/1.1' |
| 31-004-BS | 1"x1"x1" | 11" | 20pc/21kg/22kg/1.2' |
| | 1-1/4"x1-1/4"x1-1/4" | 14" | 12pc/18kg/19kg/1.2' |
| 31-004-SS | 1"x1"x1" | 11" | 20pc/19.2kg/20.2kg/1.2' |
| | 1"x1"x1" | 14" | 20pc/22.5kg/23.5kg/1.4' |
| | 1-1/4"x1-1/4"x1-1/4" | 14" | 12pc/18kg/19kg/1.2' |
| 31-004-BZ | 1"x1"x1" | 11" | 20pc/22kg/23kg/1.2' |
| | 1-1/4"x1-1/4"x1-1/4" | 14" | 12pc/20kg/21kg/1.2' |

## 31-004 Union tank tee, 2 holes

31-004-BS Brass

31-004-SS Stainless steel

31-008-BS 31-008-SS
Short tank tee, 2 holes

31-004S-BS 31-004S-SS
Short union tank tee, 2 holes

| Item | Size | Length | Packing |
|---|---|---|---|
| 31-008-BS | 1"x1"x1" | 4-1/2" | 40pc/19kg/20kg/1.3' |
| | 1-1/4"x1-1/4"x1-1/4" | 4-1/2" | 32pc/21kg/22kg/1' |
| 31-008-SS | 1"x1"x1" | 4-1/2" | 40pc/20kg/21kg/1.3' |
| | 1-1/4"x1-1/4"x1-1/4" | 5-1/2" | 24pc/18kg/19kg/0.9' |
| 31-004S-BS | 1"x1"x1" | 5-1/2" | 24pc/18.5kg/19.5kg/1.2' |
| | 1-1/4"x1-1/4"x1-1/4" | 5-1/2" | 24pc/23.5kg/24.5kg/1.5' |
| 31-004S-SS | 1"x1"x1" | 5-1/2" | 24pc/16.6kg/17.6kg/1.2' |
| | 1-1/4"x1-1/4"x1-1/4" | 5-1/2" | 24pc/18kg/19kg/0.9' |

30-006-BS 30-006-SS
Pitless adapter

| Item | Size | Packing |
|---|---|---|
| 30-006-BS | 1" | 16pc/18.2kg/19.2kg/0.6' |
| | 1-1/4" | 12pc/20.3kg/21.3kg/0.6' |
| 30-006-SS | 1" | 16pc/18.6kg/19.6kg/0.5' |
| | 1-1/4" | 12pc/22.2kg/23.2kg/0.6' |

MIP x insert tee
(plastic pipe to male iron pipe)

31-012-SS

31-012-BZ

| SS-Size | Packing |
|---|---|
| 3/4"x3/4"x3/4" | 100pc/21kg/22kg/0.8' |
| 1"x3/4"x1" | 100pc/25.6kg/26.6kg/1' |
| 1"x1"x1" | 100pc/31kg/32kg/1.1' |

| BZ-Size | Packing |
|---|---|
| 3/4"x3/4"x3/4" | 100pc/21kg/22kg/0.8' |
| 1"x3/4"x1" | 100pc/27kg/28kg/1' |
| 1"x1"x1" | 100pc/32kg/33kg/1.1' |

Extra long elbow, MIP x insert

31-015-SS

31-015-BZ

| SS-Size | Packing |
|---|---|
| 3/4"x3/4" | 100pc/17.3kg/18.3kg/0.5' |
| 3/4"x1" | 100pc/22.7kg/23.7kg/0.5' |

| BZ-Size | Packing |
|---|---|
| 3/4"x3/4" | 100pc/18kg/19kg/0.5' |
| 3/4"x1" | 100pc/24kg/25kg/0.5' |

Male adapter

30-004-SS

30-004-BZ

| SS-Size | Packing |
|---|---|
| 1"x1" | 100pc/20kg/21kg/0.5' |
| 1-1/4"x1-1/4" | 100pc/24kg/25kg/0.8' |
| 1-1/4"x1" | 100pc/21kg/22kg/0.6' |

| BZ-Size | Packing |
|---|---|
| 1"x1" | 100pc/19kg/20kg/0.5' |
| 1-1/4"x1-1/4" | 100pc/24kg/25kg/0.8' |
| 1-1/4"x1" | 100pc/21kg/22kg/0.6' |

30-009
Bronze safety valve

| MIP x FIP | packing |
|---|---|
| 1/2"x1/2" | 100pc/17kg/18kg/0.5' |
| 3/4"x1/2" | 100pc/18kg/19kg/0.5' |

* We are able to quote based on your samples and provide OEM products in stainless steel or bronze.*
* For more well accessories parts, please contact with us.*

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw



# Braided tubes & flexible tubes

## * Heavy water heater connectors*



D70-001
3/4"FIP swivel x 3/4" MIP rigid
brass nut & brass insert
*length: 10" or 12" or 16".....available



D70-002
7/8" COMP x 3/4" FIP
brass nut & brass insert
*length: 10" or 12" or 16".....available

D70-003
Tube, brass nut & brass insert
size: 1"FIPx1"FIP or 3/4"FIPx3/4"FIP



3/4"

B28-25
Copper tube, 3/4"FIPx3/4"FIPx18" long
50pc/11kg/12.5kg/1.2'

3/4" 3/4"

131-019
Rubber washing machine
supply hose
131-019-5 5" long
131-019-6 6" long
25pc/12kg/13kg/2.7'

3/4" 3/4"

131-020
Rubber Y type
laundry water hose
100pc/30kg/31kg/2.5'

131-026
Washing hose, 150cm,
front side one connector,
3 sections of 1",. 1-1/8", 1-1/4"
6pc/2kg/3kg/1.5'

Different packing ways
for your reference



A: sticker
B: hang card
C: blister

FIP swivel x FIP swivel, length: 10" or 12" or 16".....available.
Different inner tube's materials for your choice.



Santoprene tube inside
Stainless steel wires braid outside to protect the tube



PVC tube inside
Stainless steel wires braid outside to protect the tube

The materials of tube's parts can be changed
for brass, zinc and plastic.

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw

*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*

### 13A-022-12F12F16
Stainless steel braided tube
w/brass nut & insert
size: 1/2"FIP x 1/2"FIP x 16L
*length: 10" or 12" or 16"~60" available

### 13A-022-12F38C16
Stainless steel braided tube
w/brass nut & insert
size: 1/2"FIP x 3/8"COMP x 16L
*length: 10" or 12" or 16".....available

### 13A-022-12F12M16
Stainless steel braided tube
w/brass nut & insert
size: 1/2"FIP x 1/2"MIP x 16L
*length: 10" or 12" or 16".....available

### 13A-022-12F7816
Stainless steel braided tube
w/brass nut & insert
size: 1/2"FIP x 7/8"B.C. x 16L
*length: 10" or 12" or 16".....available

### 13A-022A-38C78F16
Stainless steel braided tube
w/plastic nut & brass insert
size: 3/8"COMP x 7/8"B.C. x 16L
*length: 10" or 12" or 16".....available

### 13A-022B-38C78F16
Stainless steel braided tube
w/plastic nut & brass insert
size: 3/8"COMP x 7/8"B.C. x 16L
*length: 10" or 12" or 16".....available

* FXF= FIPxFIP *FXM= FIPxMIP *L= LENGTH *B.C.= Plastic nut or brass nut for ball cock.

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw





*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*

### 13A-022-12FM10
Stainless steel braided tube
w/brass nut & brass insert
size: 1/2"coupling x 1/4" male nipple (M10) x 16L
*length: 10" or 12" or 16".....available

### 13A-022-38FM10
Stainless steel braided tube
w/brass nut & brass insert
size: 3/8"coupling x 1/4" C.P. male nipple (M10) x 16L
*length: 10" or 12" or 16".....available
➡ * C.P. brass male nipple also available.*

### B28-23-38FM10
Polymer braided tube
w/brass nut & brass insert
size: 3/8"coupling x 1/4" male nipple (M10) x 16L
*length: 10" or 12" or 16".....available

### B28-23-12F38C16
Polymer braided tube
w/brass nut & brass insert
size: 1/2"FIP x 3/8"COMP x 16L
*length: 10" or 12" or 16".....available

### B28-23-12F12M16
Polymer braided tube
w/brass nut & brass insert
size: 1/2"FIP x 1/2"MIP x 16L
*length: 10" or 12" or 16".....available

### B28-21-121216
Polymer braided tube
w/plastic nut & plastic insert
size: 1/2"FIP x 1/2"FIP x 16L
*length: 12" or 16" or 20".....available

* FXF= FIPxFIP *FXM= FIPxMIP *L= LENGTH *B.C.= Plastic nut or brass nut for ball cock.

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw

# Braided tubes & flexible tubes

**13-020-127816**
PVC flexible tube
w/plastic nut & plastic insert, gray color
size: 1/2"FIP(brass nut) x 7/8"B.C.(plastic nut) x 16L
*length: 10" or 12" or 16".....available

**13-020-387816**
PVC flexible tube
w/plastic nut & plastic insert, gray color
size: 3/8"COMP(brass nut) x 7/8" B.C.(plastic nut) x 16L
*length: 10" or 12" or 16".....available

**13-020WT-387816**
PVC flexible tube
w/plastic nut & plastic insert, white color
size: 3/8"COMP(brass nut) x 7/8"B.C.(plastic nut) x 16L
*length: 10" or 12" or 16".....available

**13-020WT-121216**
PVC flexible tube
w/zinc nut & plastic insert, white color
size: 1/2"FIP x 1/2"COMP x 16L
*length: 10" or 12" or 16".....available

C.P. brass flexible supply tube

**19-014C** for closet

**19-014L** for lavatory

| size | packing |
|---|---|
| 3/8"x12" | 500pc/18kg/19kg/1.3' |
| 3/8"x15" | 500pc/18kg/19kg/1.5' |
| 3/8"x20" | 500pc/24kg/25kg/1.8' |

**131-006**
Stainless steel shower hose

| length | packing |
|---|---|
| 47" (120cm) | 50pc/9kg/10kg/0.8' |
| 59" (150cm) | 50pc/10kg/11kg/1' |
| 70" (178cm) | 50pc/12kg/13kg/1.2' |

White plastic flexible supply tube

**19-015C** for closet

**19-015L** for lavatory

| size | packing |
|---|---|
| 3/8"x12" | 600pc/8.5kg/9.5kg/2.2' |
| 3/8"x15" | 500pc/9.2kg/10.2kg/2.05' |
| 3/8"x20" | 500pc/10.8kg/11.8kg/2.6' |

**131-027**
Stainless steel tube
with brass elbow
1/2"FIPx3/8"MIPx60"L
50pc/13.5kg/14.5kg/1.5'

*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw





# Water hammer arresters

**D74-001**
Water hammer arrester
1/2" CPVC inside
100pc/11kg/12kg/1'

**D74-002**
Water hammer arrester
1/2" CPVC
100pc/17kg/18kg/1'

**D74-003**
Water hammer arrester
1/2" PEX
100pc/10.5kg/11.5kg/1'

**D74-004**
Water hammer arrester
1/2" PEX
100pc/14kg/15kg/1'

**D74-005**
Water hammer arrester
1/2" NPT
100pc/15kg/16kg/1'

**D74-006**
Water hammer arrester
3/4" NPT
100pc/16kg/17kg/1'

**D74-007**
Water hammer arrester
1/2" CxC
100pc/15.5kg/16.5kg/1'

**D74-008**
Water hammer arrester
3/4" CxC
100pc/15.5kg/16.5kg/1'

**D74-009**
Water hammer arrester
3/4" swivel FHTx 3/4" MHT
80pc/22kg/23kg/1.6'

**D74-010**
Water hammer arrester
1/2" PEX tee
80pc/14.5kg/15.5kg/1'

**D74-011**
Water hammer arrester
3/4" PEX tee
80pc/15kg/16kg/1'

**D74-012**
Water hammer arrester
1/2" PEX tee
80pc/17kg/18kg/2.5'

**D74-013**
Water hammer arrester
compression tee,
3/8"x3/8"
80pc/27kg/28kg/2.5'

**D74-014**
Water hammer arrester
compression tee,
3/8"x3/8"
w/brass o-ring
80pc/27kg/28kg/2.5'

**D74-015**
Water hammer arrester
compression tee,
5/8"x5/8"
w/brass o-ring
80pc/28kg/29kg/2.5'

*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw

# Water hammer arresters

**D75-001**
Hammer arrester
outside diameter,
5/8"x3/8"
48pc/14kg/15kg/0.65'

**D75-002**
Hammer arrester
compression,
1/2" PEX x3/8"
48pc/13kg/14kg/0.65'

**D75-003**
Water hammer arrester
integral, 5/8"x3/8"
48pc/14kg/15kg/0.6'

**D75-004**
Water hammer
B way valve
60pc/15kg/16kg/0.75'

**D75-005**
Washing machine stop valve
3/4"MHT outlet, 1/4 turn
100pc/22.6kg/23.6kg/0.7'

**181-008**
Washing machine valve
1/2"swt x3/4" hose
32pc/18kg/19kg/0.9'

**D75-006**
Washing machine valve
1/2"MPT x1/2" MHT
32pc/16kg/17kg/0.9'

**D75-007**
Washing machine stop valve
1/2"MPT x3/4"MHT
32pc/20kg/21kg/0.9'

**181-009**
Washing machine stop valve
1/2"MIP x3/4"hose
32pc/20kg/21kg/0.9'

**181-009A**
32pc/20kg/21kg/0.9'

**181-009D**
32pc/20kg/21kg/0.9'

**181-009B**
32pc/20kg/21kg/0.9'

**181-009C**
32pc/20kg/21kg/0.9'

**181-009E**
32pc/20kg/21kg/0.9'

*Products marked with this icon ✓ are available in lead free brass, but it doesn't represent that the products have lead free certificate.*

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw





# Brass tubulars

* 0.6mm, 0.8mm, 1.0mm thickness are available. *

A
Thread connector

B
Quick connector

**21-004**
C.P. brass p-trap,
1-1/2" without waste plug

| | |
|---|---|
| 1-1/4" | 50pc/9kg/12kg/3.18' |
| 1-1/2" | 50pc/13kg/16.5kg/3.19' |

**21-011-1145**

**21-011-1149**
C.P. Brass one piece
P.O. plug

| Size | Packing |
|---|---|
| 1-1/4"x5" | 100pc/12kg/14.5kg/2' |
| 1-1/4"x9" | 80pc/15.2kg/16.3kg/3.1' |

**82-927**
S-trap with flange

| | |
|---|---|
| 1-1/2" | 25pc/11kg/15kg/3.64' |
| 1-1/4" | 25pc/8kg/11.5kg/3.03' |

**83-936**
J-bend with cleanout
IPS 1-1/2", 0.5mm
50pc/24kg/25kg/1.6'

**83-940**
C.P. brass wall bend tube
T: 1.0mm
50pc/12kg/13kg/1.6'

**82-934**
Single sink connection
1-1/2"x16"

**D76-001**
Hi-way waste arm

| | |
|---|---|
| 1-1/2"X0.6X12" | 50pc/10.5kg/11.5kg/1.3' |
| 1-1/2"X0.6X15" | 50pc/12kg/13kg/1.6' |

**D76-002**
Waste arm

| | |
|---|---|
| 1-1/2"X0.6X12" | 50pc/12.5kg/13.5kg/1.3' |
| 1-1/2"X0.6X15" | 50pc/15.5kg/16.5kg/1.6' |

**83-93B**
Brass tubular, threaded at both ends
1-1/4" or 1-1/2" diameter, L: 4", 6"~12"
50pc/12kg/12.5kg/1'

**D76-003**
Double end flanged tailpiece
1-1/2"x0.6x16"
50pc/12kg/12.5kg/1'

**D76-004**
90 degree elbow

| | |
|---|---|
| 1-1/4"x0.6X3" | 100pc/12.3kg/13.3kg/1' |
| 1-1/2"x0.6X3" | 100pc/13.8kg/14.8kg/1.2' |

**B46-02**
1-1/4" P trap, w/o adaptor
80pc/9kg/10kg/3.3'



**B46-03**
1-1/2" P trap w/adaptor
60pc/11kg/12kg/3.3'

**B46-03-ADAPTOR**
Adaptor only for B46-03
(adaptor, nut, washer)
500pc/13.5kg/14.5kg/4.4'



**B47-05**
1-1/2" Y type water discharger,
dual drain in 16", white
50pc/13kg/14kg/3.3'

ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw

# Brass tubulars

### 22-012B
Flange tailpiece

| | |
|---|---|
| 1-1/2"x0.6x4" | 200pc/12.5kg/13.5kg/1.2' |
| 1-1/2"x0.6x6" | 200pc/18.5kg/19.5kg/1.6' |
| 1-1/2"x0.6x8" | 100pc/12kg/13kg/1' |
| 1-1/2"x0.6x12" | 100pc/15kg/16kg/1.5' |

### B46-05B
C.P. brass extension tube
1-1/2"x12"
200pc/5kg/6kg/1.9'

### D77-001
Reducing threaded tube

| | |
|---|---|
| 1-1/4"x0.8x6" | 100pc/10kg/11kg/1.2' |
| 1-1/4"x0.8x8" | 100pc/13.5kg/14.5kg/1.6' |
| 1-1/4"x0.8x12" | 100pc/20kg/21kg/2.4' |
| 1-1/2"x0.8x6" | 100pc/12.2kg/13.2kg/1.2' |
| 1-1/2"x0.8x8" | 100pc/16.3kg/17.3kg/1.6' |
| 1-1/2"x0.8x12" | 100pc/12.2kg/13.2kg/1.2' |

### D77-002
Extension tube

| | |
|---|---|
| 1-1/4"x0.6x6" | 200pc/16kg/17kg/1.8' |
| 1-1/4"x0.6x8" | 100pc/10.6kg/11.6kg/1.2' |
| 1-1/4"x0.6x10" | 100pc/13.5kg/14.5kg/1.5' |
| 1-1/4"x0.6x12" | 50pc/16kg/17kg/1.8' |
| 1-1/2"x0.6x6" | 200pc/18kg/19kg/1.8' |
| 1-1/2"x0.6x8" | 100pc/16.5kg/17.5kg/1.6' |
| 1-1/2"x0.6x10" | 100pc/18.5kg/19.5kg/1.8' |
| 1-1/2"x0.6x12" | 50pc/11kg/12kg/1.2' |

### 21-018
C.P. brass sink funnels
1-1/2"x10"
50pc/10kg/11kg/2.39'

### 83-93D
Extension tube 1-1/2"x4", 0.5mm
200pc/5kg/6kg/2'

### D77-003
45 degree elbow

| | |
|---|---|
| 1-1/4"x0.6x3" | 100pc/11.3kg/12.3kg/1.2' |
| 1-1/2"x0.6x3" | 100pc/13kg/14kg/1.2' |

### D77-004
Coupling

| | |
|---|---|
| 1-1/4"x0.6x3" | 100pc/10kg/11kg/1' |
| 1-1/2"x0.6x3" | 100pc/12kg/13kg/1.2' |

### 83-941
Double offset
1-1/4"x1-1/4" or 1-1/2"x1-1/2"
50pc/12kg/13kg/1'

### D77-005
Branch hi-way style
slip joint with thread

| | |
|---|---|
| 1-1/2"x0.6x6" | 50pc/8kg/9kg/1.5' |
| 1-1/2"x0.6x8" | 50pc/10.5kg/11.5kg/1.8' |

### D77-006
Branch tailpiece
nominal, sweat branch

| | |
|---|---|
| 1-1/2"x0.6x6" | 50pc/8kg/9kg/1.5' |
| 1-1/2"x0.6x8" | 50pc/10.5kg/11.5kg/1.8' |

### D77-007
Branch hi-way style
slip joint

| | |
|---|---|
| 1-1/2"x0.6x6" | 50pc/8kg/9kg/1.5' |
| 1-1/2"x0.6x8" | 50pc/10.5kg/11.5kg/1.8' |

### D77-008
Threaded branch
tailpiece

| | |
|---|---|
| 1-1/2"x0.6x6" | 50pc/7kg/8kg/1.5' |
| 1-1/2"x0.6x8" | 50pc/9.5kg/10.5kg/1.8' |


ARE SHENG INDUSTRY CO., LTD.
TEL: +886-4-7510666 FAX: +886-4-7510699 http://www.aresheng.com.tw E-mail: amer@aresheng.com.tw






# *Professional plumbing*
# *Premier quality*

ISO 9001:2008

D & B Registered

ARE SHENG INDUSTRY CO., LTD.
SINCE 1992

WATER WARE
Member of plumbing association in Taiwan.